

DMS - Diemould
Section 3 - Plain Plates


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


95 x 95

PP 9595 x T




X	Y	T	1730	2311
95	95	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓

PPES 9595 x T



X	Y	T1	T2	1730
53	95	6	9	✓


PPR 9595 x T



X	Y	T	1730
20	95	26	✓
		36	✓
		46	✓


100 x 125

PP 1012 x T




X	Y	T	1730	2311
100	125	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓

PPES 1012 x T



X	Y	T1	T2	1730
58	125	6	9	✓


PPR 1012 x T



X	Y	T	1730
20	125	26	✓
		36	✓
		46	✓


125 x 125

PP 1212 x T




X	Y	T	1730	2311
125	125	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓

PPES 1212 x T



X	Y	T1	T2	1730
71	125	9	12	✓


PPR 1212 x T



X	Y	T	1730
26	125	36	✓
		46	✓
		56	✓


125 x 156

PP 1215 x T




X	Y	T	1730	2311
125	156	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓

PPES 1215 x T



X	Y	T1	T2	1730
71	156	9	12	✓

PPR 1215 x T



X	Y	T	1730
26	156	36	✓
		46	✓
		56	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


156 x 156

PP 1515 x T




X	Y	T	1730	2311
156	156	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓

PPES 1515 x T



X	Y	T1	T2	1730
90	156	9	16	✓


PPR 1515 x T



X	Y	T	1730
32	156	46	✓
		56	✓
		76	✓


156 x 196

PP 1519 x T




X	Y	T	1730	2311
156	196	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓

PPES 1519 x T



X	Y	T1	T2	1730
90	196	9	16	✓


PPR 1519 x T



X	Y	T	1730
32	196	46	✓
		56	✓
		76	✓


156 x 246

PP 1524 x T




X	Y	T	1730	2311
156	246	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
76	✓	✓		

PPES 1524 x T



X	Y	T1	T2	1730
90	246	9	16	✓


PPR 1524 x T



X	Y	T	1730
32	246	46	✓
		56	✓
		76	✓


156 x 296

PP 1529 x T




X	Y	T	1730	2311
156	296	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
76	✓	✓		

PPES 1529 x T



X	Y	T1	T2	1730
90	296	9	16	✓

PPR 1529 x T



X	Y	T	1730
32	296	46	✓
		56	✓
		76	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


196 x 196

PP 1919 x T




X	Y	T	1730	2311
196	196	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 1919 x T



X	Y	T1	T2	1730
118	196	12	16	✓


PPR 1919 x T



X	Y	T	1730
38	196	46	✓
		56	✓
		76	✓


196 x 246

PP 1924 x T




X	Y	T	1730	2311
196	246	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 1924 x T



X	Y	T1	T2	1730
118	246	12	16	✓


PPR 1924 x T



X	Y	T	1730
38	246	46	✓
		56	✓
		76	✓


196 x 296

PP 1929 x T




X	Y	T	1730	2311
196	296	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

PPES 1929 x T



X	Y	T1	T2	1730
108	296	12	16	✓


PPR 1929 x T



X	Y	T	1730
43	296	56	✓
		76	✓
		96	✓


196 x 346

PP 1934 x T




X	Y	T	1730	2311
196	346	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

PPES 1934 x T



X	Y	T1	T2	1730
108	346	12	16	✓

PPR 1934 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


196 x 396

PP 1939 x T




X	Y	T	1730	2311
196	396	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 1939 x T



X	Y	T1	T2	1730
108	396	12	16	✓


PPR 1939 x T



X	Y	T	1730
43	396	56	✓
		76	✓
		96	✓


246 x 246

PP 2424 x T




X	Y	T	1730	2311
246	246	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		96	✓	✓

PPES 2424 x T



X	Y	T1	T2	1730
158	246	12	16	✓


PPR 2424 x T



X	Y	T	1730
43	246	56	✓
		76	✓
		96	✓


246 x 296

PP 2429 x T




X	Y	T	1730	2311
246	296	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

PPES 2429 x T



X	Y	T1	T2	1730
158	296	12	16	✓


PPR 2429 x T



X	Y	T	1730
43	296	56	✓
		76	✓
		96	✓


246 x 346

PP 2434 x T




X	Y	T	1730	2311
246	346	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

PPES 2434 x T



X	Y	T1	T2	1730
158	346	16	26	✓

PPR 2434 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


246 x 396

PP 2439 x T




X	Y	T	1730	2311
246	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 2439 x T



X	Y	T1	T2	1730
158	396	16	26	✓


PPR 2439 x T



X	Y	T	1730
43	396	56	✓
		76	✓
		96	✓


246 x 446

PP 2444 x T




X	Y	T	1730	2311
246	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 2444 x T



X	Y	T1	T2	1730
158	446	16	26	✓


PPR 2444 x T



X	Y	T	1730
43	446	56	✓
		76	✓
		96	✓


296 x 296

PP 2929 x T




X	Y	T	1730	2311
296	296	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 2929 x T



X	Y	T1	T2	1730
208	296	16	26	✓


PPR 2929 x T



X	Y	T	1730
43	296	56	✓
		76	✓
		96	✓


296 x 346

PP 2934 x T




X	Y	T	1730	2311
296	346	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 2934 x T



X	Y	T1	T2	1730
208	346	16	26	✓

PPR 2934 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


296 x 396

PP 2939 x T




X	Y	T	1730	2311
296	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 2939 x T



X	Y	T1	T2	1730
208	396	16	26	✓


PPR 2939 x T



X	Y	T	1730
43	396	56	✓
		76	✓
		96	✓


296 x 446

PP 2944 x T




X	Y	T	1730	2311
296	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 2944 x T



X	Y	T1	T2	1730
208	446	16	26	✓


PPR 2944 x T



X	Y	T	1730
43	446	56	✓
		76	✓
		96	✓


296 x 496

PP 2949 x T




X	Y	T	1730	2311
296	496	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 2949 x T



X	Y	T1	T2	1730
208	496	16	26	✓


PPR 2949 x T



X	Y	T	1730
43	496	56	✓
		76	✓
		96	✓


346 x 346

PP3434 x T




X	Y	T	1730	2311
346	346	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3434 x T



X	Y	T1	T2	1730
258	346	16	26	✓

PPR 3434 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


346 x 396

PP 3439 x T




X	Y	T	1730	2311
296	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3439 x T



X	Y	T1	T2	1730
218	396	16	26	✓


PPR 3439 x T



X	Y	T	1730
62	396	76	✓
		96	✓
		116	✓


346 x 446

PP 3444 x T




X	Y	T	1730	2311
346	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3444 x T



X	Y	T1	T2	1730
218	446	16	26	✓


PPR 3444 x T



X	Y	T	1730
62	446	76	✓
		96	✓
		116	✓


346 x 496

PP 3449 x T




X	Y	T	1730	2311
346	496	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3449 x T



X	Y	T1	T2	1730
218	496	16	26	✓


PPR 3449 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


346 x 546

PP3454 x T




X	Y	T	1730	2311
346	546	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3454 x T



X	Y	T1	T2	1730
218	546	16	26	✓

PPR 3454 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


396 x 396

PP 3939 x T




X	Y	T	1730	2311
396	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3939 x T



X	Y	T1	T2	1730
268	396	16	26	✓


PPR 3939 x T



X	Y	T	1730
62	396	76	✓
		96	✓
		116	✓


396 x 446

PP 3944 x T




X	Y	T	1730	2311
396	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3944 x T



X	Y	T1	T2	1730
268	446	16	26	✓


PPR 3944 x T



X	Y	T	1730
62	446	76	✓
		96	✓
		116	✓


396 x 496

PP 3949 x T




X	Y	T	1730	2311
396	496	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3949 x T



X	Y	T1	T2	1730
268	496	16	26	✓


PPR 3949 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


396 x 546

PP3954 x T




X	Y	T	1730	2311
396	546	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3954 x T



X	Y	T1	T2	1730
268	546	16	26	✓

PPR 3954 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


396 x 596

PP 3959 x T




X	Y	T	1730	2311
396	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3959 x T



X	Y	T1	T2	1730
268	596	16	26	✓


PPR 3959 x T



X	Y	T	1730
62	596	76	✓
		96	✓
		116	✓


446 x 446

PP 4444 x T




X	Y	T	1730	2311
446	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		136	✓	✓

PPES 4444 x T



X	Y	T1	T2	1730
318	446	16	26	✓


PPR 4444 x T



X	Y	T	1730
62	446	76	✓
		96	✓
		116	✓


446 x 496

PP 4449 x T




X	Y	T	1730	2311
446	496	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4449 x T



X	Y	T1	T2	1730
318	496	16	26	✓


PPR 4449 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


446 x 596

PP4459 x T




X	Y	T	1730	2311
446	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4459 x T



X	Y	T1	T2	1730
318	546	16	26	✓

PPR 4459 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


446 x 696

PP 4469 x T




X	Y	T	1730	2311
446	696	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 4469 x T



X	Y	T1	T2	1730
318	696	16	26	✓


PPR 4469 x T



X	Y	T	1730
62	696	76	✓
		96	✓
		116	✓


496 x 496

PP 4949 x T




X	Y	T	1730	2311
496	496	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 4949 x T



X	Y	T1	T2	1730
368	496	16	26	✓


PPR 4949 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


496 x 596

PP 4959 x T




X	Y	T	1730	2311
496	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4959 x T



X	Y	T1	T2	1730
368	596	16	26	✓


PPR 4959 x T



X	Y	T	1730
62	596	76	✓
		96	✓
		116	✓


496 x 696

PP4969 x T




X	Y	T	1730	2311
496	696	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4969 x T



X	Y	T1	T2	1730
368	546	16	26	✓

PPR 4969 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


Plain Plates



web : www.dms-diemould.co.uk
 sales : sales@dms-diemould.co.uk
 tel : +44 (0) 1494 523811
 fax : +44 (0) 1494 452898


596 x 596

PP 5959 x T




X	Y	T	1730	2311
596	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 5959 x T



X	Y	T1	T2	1730
468	596	26	36	✓


PPR 5959 x T



X	Y	T	1730
62	596	96	✓
		116	✓
		136	✓


596 x 696

PP 5969 x T




X	Y	T	1730	2311
596	696	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 5969 x T



X	Y	T1	T2	1730
468	696	26	36	✓

PPR 5969 x T




X	Y	T	1730
62	696	96	✓
		116	✓
		136	✓

web : www.dms-diemould.co.uk
sales : sales@dms-diemould.co.uk
tel : +44 (0) 1494 523811
fax : +44 (0) 1494 452898



Notes



DMS-Diemould

Unit 11, Blenheim Road
Cressex Business Park
High Wycombe
Buckinghamshire
England
HP12 3RS

Tel : + 44 (0) 1494 523811
Fax : + 44 (0) 1494 452898
Web : www.dms-diemould.co.uk
e-mail : sales@dms-diemould.co.uk