

DMS - Diemould  
Section 3 - Plain Plates


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


95 x 95

PP 9595 x T




X	Y	T	1730	2311
95	95	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓

PPES 9595 x T



X	Y	T1	T2	1730
53	95	6	9	✓


PPR 9595 x T



X	Y	T	1730
20	95	26	✓
		36	✓
		46	✓


100 x 125

PP 1012 x T




X	Y	T	1730	2311
100	125	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓

PPES 1012 x T



X	Y	T1	T2	1730
58	125	6	9	✓


PPR 1012 x T



X	Y	T	1730
20	125	26	✓
		36	✓
		46	✓


## 125 x 125

### PP 1212 x T




X	Y	T	1730	2311
125	125	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓

### PPES 1212 x T



X	Y	T1	T2	1730
71	125	9	12	✓


### PPR 1212 x T



X	Y	T	1730
26	125	36	✓
		46	✓
		56	✓


## 125 x 156

### PP 1215 x T




X	Y	T	1730	2311
125	156	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓

### PPES 1215 x T



X	Y	T1	T2	1730
71	156	9	12	✓

### PPR 1215 x T



X	Y	T	1730
26	156	36	✓
		46	✓
		56	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


156 x 156

PP 1515 x T




X	Y	T	1730	2311
156	156	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
76	✓	✓		

PPES 1515 x T



X	Y	T1	T2	1730
90	156	9	16	✓


PPR 1515 x T



X	Y	T	1730
32	156	46	✓
		56	✓
		76	✓


156 x 196

PP 1519 x T




X	Y	T	1730	2311
156	196	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
76	✓	✓		

PPES 1519 x T



X	Y	T1	T2	1730
90	196	9	16	✓


PPR 1519 x T



X	Y	T	1730
32	196	46	✓
		56	✓
		76	✓


## 156 x 246

### PP 1524 x T




X	Y	T	1730	2311
156	246	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
76	✓	✓		

### PPES 1524 x T



X	Y	T1	T2	1730
90	246	9	16	✓


### PPR 1524 x T



X	Y	T	1730
32	246	46	✓
		56	✓
		76	✓


## 156 x 296

### PP 1529 x T




X	Y	T	1730	2311
156	296	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
76	✓	✓		

### PPES 1529 x T



X	Y	T1	T2	1730
90	296	9	16	✓

### PPR 1529 x T



X	Y	T	1730
32	296	46	✓
		56	✓
		76	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


196 x 196

PP 1919 x T




X	Y	T	1730	2311
196	196	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

PPES 1919 x T



X	Y	T1	T2	1730
118	196	12	16	✓


PPR 1919 x T



X	Y	T	1730
38	196	46	✓
		56	✓
		76	✓


196 x 246

PP 1924 x T




X	Y	T	1730	2311
196	246	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

PPES 1924 x T



X	Y	T1	T2	1730
118	246	12	16	✓


PPR 1924 x T



X	Y	T	1730
38	246	46	✓
		56	✓
		76	✓


## 196 x 296

### PP 1929 x T




X	Y	T	1730	2311
196	296	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

### PPES 1929 x T



X	Y	T1	T2	1730
108	296	12	16	✓


### PPR 1929 x T



X	Y	T	1730
43	296	56	✓
		76	✓
		96	✓


## 196 x 346

### PP 1934 x T




X	Y	T	1730	2311
196	346	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

### PPES 1934 x T



X	Y	T1	T2	1730
108	346	12	16	✓

### PPR 1934 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


196 x 396

PP 1939 x T




X	Y	T	1730	2311
196	396	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 1939 x T



X	Y	T1	T2	1730
108	396	12	16	✓


PPR 1939 x T



X	Y	T	1730
43	396	56	✓
		76	✓
		96	✓


246 x 246

PP 2424 x T




X	Y	T	1730	2311
246	246	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		96	✓	✓

PPES 2424 x T



X	Y	T1	T2	1730
158	246	12	16	✓

PPR 2424 x T




X	Y	T	1730
43	246	56	✓
		76	✓
		96	✓




## 246 x 296

### PP 2429 x T




X	Y	T	1730	2311
246	296	16	✓	✓
		20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

### PPES 2429 x T



X	Y	T1	T2	1730
158	296	12	16	✓


### PPR 2429 x T



X	Y	T	1730
43	296	56	✓
		76	✓
		96	✓


## 246 x 346

### PP 2434 x T




X	Y	T	1730	2311
246	346	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
96	✓	✓		

### PPES 2434 x T



X	Y	T1	T2	1730
158	346	16	26	✓

### PPR 2434 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


246 x 396

PP 2439 x T




X	Y	T	1730	2311
246	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 2439 x T



X	Y	T1	T2	1730
158	396	16	26	✓


PPR 2439 x T



X	Y	T	1730
43	396	56	✓
		76	✓
		96	✓


246 x 446

PP 2444 x T




X	Y	T	1730	2311
246	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓

PPES 2444 x T



X	Y	T1	T2	1730
158	446	16	26	✓


PPR 2444 x T



X	Y	T	1730
43	446	56	✓
		76	✓
		96	✓


## 296 x 296

### PP 2929 x T




X	Y	T	1730	2311
296	296	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

### PPES 2929 x T



X	Y	T1	T2	1730
208	296	16	26	✓


### PPR 2929 x T



X	Y	T	1730
43	296	56	✓
		76	✓
		96	✓


## 296 x 346

### PP 2934 x T




X	Y	T	1730	2311
296	346	20	✓	✓
		26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

### PPES 2934 x T



X	Y	T1	T2	1730
208	346	16	26	✓

### PPR 2934 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


296 x 396

PP 2939 x T




X	Y	T	1730	2311
296	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 2939 x T



X	Y	T1	T2	1730
208	396	16	26	✓


PPR 2939 x T



X	Y	T	1730
43	396	56	✓
		76	✓
		96	✓


296 x 446

PP 2944 x T




X	Y	T	1730	2311
296	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 2944 x T



X	Y	T1	T2	1730
208	446	16	26	✓


PPR 2944 x T



X	Y	T	1730
43	446	56	✓
		76	✓
		96	✓


## 296 x 496

### PP 2949 x T




X	Y	T	1730	2311
296	496	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

### PPES 2949 x T



X	Y	T1	T2	1730
208	496	16	26	✓


### PPR 2949 x T



X	Y	T	1730
43	496	56	✓
		76	✓
		96	✓


## 346 x 346

### PP3434 x T




X	Y	T	1730	2311
346	346	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

### PPES 3434 x T



X	Y	T1	T2	1730
258	346	16	26	✓

### PPR 3434 x T



X	Y	T	1730
43	346	56	✓
		76	✓
		96	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


346 x 396

PP 3439 x T




X	Y	T	1730	2311
296	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3439 x T



X	Y	T1	T2	1730
218	396	16	26	✓


PPR 3439 x T



X	Y	T	1730
62	396	76	✓
		96	✓
		116	✓


346 x 446

PP 3444 x T




X	Y	T	1730	2311
346	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3444 x T



X	Y	T1	T2	1730
218	446	16	26	✓


PPR 3444 x T



X	Y	T	1730
62	446	76	✓
		96	✓
		116	✓


346 x 496

PP 3449 x T




X	Y	T	1730	2311
346	496	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3449 x T



X	Y	T1	T2	1730
218	496	16	26	✓


PPR 3449 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


346 x 546

PP3454 x T




X	Y	T	1730	2311
346	546	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3454 x T



X	Y	T1	T2	1730
218	546	16	26	✓

PPR 3454 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


396 x 396

PP 3939 x T




X	Y	T	1730	2311
396	396	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3939 x T



X	Y	T1	T2	1730
268	396	16	26	✓


PPR 3939 x T



X	Y	T	1730
62	396	76	✓
		96	✓
		116	✓


396 x 446

PP 3944 x T




X	Y	T	1730	2311
396	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
116	✓	✓		

PPES 3944 x T



X	Y	T1	T2	1730
268	446	16	26	✓

PPR 3944 x T




X	Y	T	1730
62	446	76	✓
		96	✓
		116	✓




396 x 496

PP 3949 x T




X	Y	T	1730	2311
396	496	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3949 x T



X	Y	T1	T2	1730
268	496	16	26	✓


PPR 3949 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


396 x 546

PP3954 x T




X	Y	T	1730	2311
396	546	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3954 x T



X	Y	T1	T2	1730
268	546	16	26	✓

PPR 3954 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


396 x 596

PP 3959 x T




X	Y	T	1730	2311
396	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓

PPES 3959 x T



X	Y	T1	T2	1730
268	596	16	26	✓


PPR 3959 x T



X	Y	T	1730
62	596	76	✓
		96	✓
		116	✓


446 x 446

PP 4444 x T




X	Y	T	1730	2311
446	446	26	✓	✓
		36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 4444 x T



X	Y	T1	T2	1730
318	446	16	26	✓


PPR 4444 x T



X	Y	T	1730
62	446	76	✓
		96	✓
		116	✓


446 x 496

PP 4449 x T




X	Y	T	1730	2311
446	496	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4449 x T



X	Y	T1	T2	1730
318	496	16	26	✓


PPR 4449 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


446 x 596

PP4459 x T




X	Y	T	1730	2311
446	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4459 x T



X	Y	T1	T2	1730
318	546	16	26	✓

PPR 4459 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


446 x 696

PP 4469 x T




X	Y	T	1730	2311
446	696	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 4469 x T



X	Y	T1	T2	1730
318	696	16	26	✓


PPR 4469 x T



X	Y	T	1730
62	696	76	✓
		96	✓
		116	✓


496 x 496

PP 4949 x T




X	Y	T	1730	2311
496	496	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 4949 x T



X	Y	T1	T2	1730
368	496	16	26	✓


PPR 4949 x T



X	Y	T	1730
62	496	76	✓
		96	✓
		116	✓


496 x 596

PP 4959 x T




X	Y	T	1730	2311
496	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4959 x T



X	Y	T1	T2	1730
368	596	16	26	✓


PPR 4959 x T



X	Y	T	1730
62	596	76	✓
		96	✓
		116	✓


496 x 696

PP4969 x T




X	Y	T	1730	2311
496	696	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
136	✓	✓		

PPES 4969 x T



X	Y	T1	T2	1730
368	546	16	26	✓

PPR 4969 x T



X	Y	T	1730
62	546	76	✓
		96	✓
		116	✓


# Plain Plates



web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
 sales : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)  
 tel : +44 (0) 1494 523811  
 fax : +44 (0) 1494 452898


596 x 596

PP 5959 x T




X	Y	T	1730	2311
596	596	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 5959 x T



X	Y	T1	T2	1730
468	596	26	36	✓


PPR 5959 x T



X	Y	T	1730
62	596	96	✓
		116	✓
		136	✓


596 x 696

PP 5969 x T




X	Y	T	1730	2311
596	696	36	✓	✓
		46	✓	✓
		56	✓	✓
		66	✓	✓
		76	✓	✓
		96	✓	✓
		116	✓	✓
		136	✓	✓

PPES 5969 x T



X	Y	T1	T2	1730
468	696	26	36	✓

PPR 5969 x T



X	Y	T	1730
62	696	96	✓
		116	✓
		136	✓



## TERMS AND CONDITIONS OF SALE

### 1) CUSTOMER CONDITIONS DO NOT APPLY.

All quotations are made and all orders are accepted subject to the following conditions. All other terms, conditions or warranties whatsoever are excluded from the contract or any variation thereof unless expressly accepted by a Director of the Supplier in writing.

### 2) DELIVERY.

Every effort will be made to keep delivery dates. Time for delivery is given as accurately as possible but it is not guaranteed nor is it the essence of the contract. The customer has no right to damages or to cancel the order for failure for any cause to meet any delivery time stated.

### 3) LIABILITY.

No liability can be accepted for loss caused through delay for reasons beyond our control or by an industrial dispute of any kind (whether involving our employees or not) or by any failure to obtain materials, goods or equipment from a supplier through no fault of our own in due time to observe delivery dates. The supplier's right is reserved to repudiate the contract and/or suspend delivery as long as any payment for goods previously invoiced is in arrears without liability for damage or consequential loss and without prejudice to the Suppliers right to recover all sums owing to it.

### 4) PRICES.

The prices quoted are subject to fluctuation without prior notice. Goods will be invoiced at prices ruling at the date of despatch notwithstanding any quotation or prior acceptance of order. All prices are unless otherwise stated net exclusive VAT and carriage charges. Post or Carriage and packing will be payable by the Customer in addition to the price of the goods.

### 5) EXPORT.

These goods are offered on the understanding that they will not be exported from the United Kingdom for resale.

### 6) PAYMENT.

Payment is due 30 days after the date of the invoice. No disputes arising under the contract nor delays beyond the reasonable control of the Supplier shall interfere with the prompt payment in full by the Customer.

### 7) INTEREST.

The Company reserves the right to charge interest at 2% per month on overdue accounts.

### 8) COLLECTION COSTS.

Should it be necessary for the Company to instruct a third party e.g. Solicitor or Collection Agency to collect any outstanding balance on behalf of the Company, then the following Administration Charges will be payable:

On outstanding balance up to £5,000 – 5% of the debt.

Outstanding balance over £5,000 – 3%.

These charges are in addition to any Court and Solicitors fees which may be payable.

### 9) MINIMUM ORDER VALUE. £15.00.

### 10) RETURN OF GOODS.

Goods must not be returned to us for credit without obtaining our authorisation in writing. A handling charge of 10% of the purchase price will be made and we reserve the right to charge the Customer additionally for all reasonable costs and expenses incurred by the Supplier in respect of returns.

### 11) PACKING.

Unless stated otherwise, the Customer shall be charged for packing cases, these being non-returnable. Packing shall provide adequate protection throughout normal conditions of transit of normal duration. Packing is not suitable for long-term storage. Special requirements for packing must be stated on the order and will be chargeable.

### 12) LAW.

The contract shall be governed and interpreted exclusively according to the law of England and shall be subject to the jurisdiction of the English courts only.

### 13) TITLE AND RISK.

Title to the goods shall only pass to the Customer when the Customer has paid to the Supplier all the sums due and payable by the Customer under the contract and all other prior agreements between the supplier and the Customer. If the Customer fails to pay such sums the Supplier shall be entitled to repossess the goods of which title has not passed to the Customer. The Customer hereby licenses the Supplier, its officers, employees and agents to enter the premises of the Customer for the purpose of either satisfying itself that the goods are kept separately from other goods or to repossess the goods. Until title of the goods has passed to the Customer pursuant to the terms hereof, it shall possess the goods as a bailee of the supplier on the terms of this contract. Risk shall pass to the Customer so that the Customer is responsible for all loss, damage or deterioration to the goods at the time the goods arrive at the place of delivery if the Supplier delivers the goods by its own transport or if the Supplier arranges transport of the goods. In all other circumstances risk shall pass to the Customer at the time the goods leave the premises of the Supplier.

### 14) CONSUMER PROTECTION ACT.

In circumstances where the Supplier supplies parts or products to the Customer for incorporation with, or use ancillary to, and composite products to be produced, manufactured, processed or supplied by Customers then:- The Customer shall forthwith on demand produce for inspection by the Supplier copies of all written instructions, information and warnings to be supplied by the Customer in relation to the said composite products, provided nevertheless that such inspection or right to inspect shall not in itself constitute acceptance or approval on the part of the Supplier of such instructions, information or warnings. The Customer shall indemnify, reimburse and compensate the Supplier for all losses and damages (including costs, expenses and charges for legal actions in which the Supplier may be involved) that the Supplier may incur in the event that any claim or claims are made against the Company pursuant to the Act relating to the said composite products of the Customer or products in circumstances of which part of the product supplied by the supplier was either (i) not the defective part of the said composite product or (ii) was only rendered the defective part or became a defective product by reason of instructions or warnings given by the Customer or other supplier of the said composite product or products. For the purpose of this condition the word "defective" shall be interpreted in accordance with the definition contained in the Act.


### 15) INDEMNITY FOR PERSONAL INJURY.

Save where the Supplier is shown to have failed to exercise reasonable care in the manufacture and/or supply of the goods and such failure results in the death or personal injury the Supplier shall not be liable in respect of claims arising by reason of death or personal injury. Further, under no circumstances whatsoever shall the Supplier be liable for consequential loss (including the removal or rectification work required in connection with the installation of repaired or substituted goods), loss of profits, damage to property, waste, expenditure or cost of mitigation.

### 16) HEALTH & SAFETY AT WORK.

Whilst every reasonable care is taken to ensure that our products are safe, you are requested to pay particular attention to applying the proper health and safety precautions in the use of our products.

Our complete list of Terms and Conditions are listed at [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk).



## **DMS-Diemould**

4A Anglo Office Park  
Lincoln Road  
High Wycombe  
Buckinghamshire  
England  
HP12 3RH

Tel : + 44 (0) 1494 523811  
Fax : + 44 (0) 1494 452898  
Web : [www.dms-diemould.co.uk](http://www.dms-diemould.co.uk)  
e-mail : [sales@dms-diemould.co.uk](mailto:sales@dms-diemould.co.uk)